


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 5 of about 6 for **"property path" component GUI element map**. (0.48 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] Tapestry Developer's Guide

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... including Java's AWT and Swing GUI libraries, as ... of the properties in a **property path**, except the ... `</component-specification>` □ The root **element** of a **component** ...
myworkspace.sourceforge.net/DevelopersGuide/DevelopersGuide.pdf - [Similar pages](#)

[PDF] Tapestry Developer's Guide

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... description **element** of **component**-based ... and Swing GUI libraries ...
jakarta.apache.org/tapestry/doc/DevelopersGuide/DevelopersGuide.pdf - [Similar pages](#)

[PDF] Sun™ ONE Portal Server 3.0 Rewriter Configuration and Management ...

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Rewriter Configuration and Management Guide • July 2002 1. Dump the **component** for viewing ... that correspond to what is seen on the administration GUI can be ...
www.sun.com/blueprints/0702/816-7206-10.pdf - [Similar pages](#)

[PDF] Ant: The Definitive Guide

File Format: PDF/Adobe Acrobat

... The term **element** refers to both a tag and its children, should it have any.
 The following XML markup is an example of a `<path>` **element**. ...
ftp.cdut.edu.cn/pub3/uncate_doc/o'reilly%20-%20ant-the%20definitive%20guide.pdf - [Similar pages](#)

[PDF] METROPOLIS 1.4 manual

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... To change the interval of time pictured on the **map**, use the ad-justment buttons of the clock located at the lower right corner of the GUI. ...
www.adpc.be/software/metropolis/demoV14/doc/PDF/manual.pdf - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.

If you like, you can repeat the search with the omitted results included.

New! Get the latest web results on **"property path" component GUI element map** emailed to you with Google Web Alerts.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about 30,100 for **property path component GUI element map**. (0.19 seconds)

Disaggregate properties

... time is the time spent by a vehicle that leaves from the origin of the **path** at the ...

The other **properties** are inherited from their **components**: nodes and ...

[www.adpc.be/software/metropolis/ demoV14/doc/HTML/x1969.html](http://www.adpc.be/software/metropolis/demoV14/doc/HTML/x1969.html) - 7k - [Cached](#) - [Similar pages](#)

[PDF] Use Case Map Navigator

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... moved and edited) • A: Fix All Positions (**paths** and **components** may not ... The following is a description of the **properties** and effects of **path** labels in ...

www.usecasemaps.org/tools/ucmnav/UCMNavManual.pdf - [Similar pages](#)

Bringing SVG Power to Java Applications

... setFillPaint(gradient); // adds the generic **path** to the group ... Framework, the ILOG

JViews **Component** Suite provides ... to animate a CSS **property** animate.setAttribute ...

java.sun.com/developer/technicalArticles/GUI/svg/ - 52k - [Cached](#) - [Similar pages](#)

Paper SVG.Open 2002, Zurich, Interactive Topographic Web-Maps ...

... full control of every single aspect a **GUI-component** looks like ... fe to quickly change attributes and **properties** centrally ... a **path**, but also lets the **path** look more ...

[www.svgopen.org/2002/papers/isakowski_ neumann_ svg_for_interactive_topographic_maps/](http://www.svgopen.org/2002/papers/isakowski_neumann_svg_for_interactive_topographic_maps/) - 34k - [Cached](#) - [Similar pages](#)

Struts Model Components

... and Upward With ActionForward The **path** to simplicity is ... Indexed **Properties** and Beans as **Properties** In last ... addition of a purely visual **component** for visualizing ...

www.jspolympus.com/Struts/StrutsModel.jsp - 60k - [Cached](#) - [Similar pages](#)

binarycloud wiki - Proposals.FormPolishing

... globally for your workspace by the FormComponent **property** in teh ... of the array will be the **path** to the ... They will not display a form **component** template since ...

www.binarycloud.com/index.php/Proposals/FormPolishing - 50k - [Cached](#) - [Similar pages](#)

[PDF] A Framework for GUI-driven Design Space Exploration of a MIPS4K ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... of the connection in the **Properties** window. ... and storage **components**, and **paths** between two storage **components**. ... are specified by traversing the **path** which can be ...

www.cecs.uci.edu/technical_report/TR03-17.pdf - [Similar pages](#)

<copyright> # # BBN Technologies, a Verizon Company # 10 Moulton ...

... a 'marker name'.prettyName **property** (for the GUI # **components**). ... At Night

#samplePlugIn.plugin=<path to PlugIn class> # Then, plugin **properties** as needed ...

www.daml.org/2001/06/map/openmap.properties - 37k - [Cached](#) - [Similar pages](#)

[PDF] Demo software for commerce/business services

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Both parts are isolated **components**, not linked using workflow or other ... server • Java programming: Java Servlets, JavaBeans, Java Swing **GUI** elements, Sun's ...

[https://doc.telin.nl/dscgi/ds.py/Get/File-3609/GigaTS_D2.4.3_\(NET_PROFIT_demo\).pdf](https://doc.telin.nl/dscgi/ds.py/Get/File-3609/GigaTS_D2.4.3_(NET_PROFIT_demo).pdf) - [Similar pages](#)

devresource.hp.com/drc/technical_white_papers/extendvs/extendingVS.jsp - 54k - Cached - Similar pages

Digitized by Google

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

property path component GUI ele

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+property +path +GUI +element +component +application be



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before January 2001

Terms used

Found 176 of 108,729

property path GUI element component application bean map

Sort results
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display
results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new
window

Results 1 - 20 of 176

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [next](#)

Relevance scale ☐ ☐ ☐ ☐ ☐

1 Past, present, and future of user interface software tools



Brad Myers, Scott E. Hudson, Randy Pausch

March 2000 **ACM Transactions on Computer-Human Interaction (TOCHI)**, Volume 7 Issue 1

Full text available: pdf(151.14 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

A user interface software tool helps developers design and implement the user interface. Research on past tools has had enormous impact on today's developers—virtually all applications today are built using some form of user interface tool. In this article, we consider cases of both success and failure in past user interface tools. From these cases we extract a set of themes which can serve as lessons for future work. Using these themes, past tools can be characterized by what aspects ...

Keywords: event languages, interface builders, scripting languages, toolkits, user interface development environments, user interface software

2 Fast detection of communication patterns in distributed executions



Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

Full text available: pdf(4.21 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

3 Using Java reflection to automate extension language parsing



Dale Parson

December 1999 **ACM SIGPLAN Notices , Proceedings of the 2nd conference on Domain-specific languages**, Volume 35 Issue 1

Full text available: pdf(1.03 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

An extension language is an interpreted programming language designed to be embedded in

a domain-specific framework. The addition of domain-specific primitive operations to an embedded extension language transforms that vanilla extension language into a domain-specific language. The LUXWORKS processor simulator and debugger from Lucent uses Tcl as its extension language. After an overview of extension language embedding and LUXWORKS experience, this paper looks at using Java reflection and ...

4 Graphical animation of behavior models



Jeff Magee, Nat Pryce, Dimitra Giannakopoulou, Jeff Kramer

June 2000 **Proceedings of the 22nd international conference on Software engineering**

Full text available:  [pdf\(330.44 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Graphical animation is a way of visualizing the behavior of design models. This visualization is of use in validating a design model against informally specified requirements and in interpreting the meaning and significance of analysis results in relation to the problem domain. In this paper we describe how behavior models specified by Labeled Transition Systems (LTS) can drive graphical animations. The semantic framework for the approach is based on Timed Automata. Animations are described ...


Keywords: behavior analysis, graphic animation, labeled transition system

5 IS '97: model curriculum and guidelines for undergraduate degree programs in information systems



Gordon B. Davis, John T. Gorgone, J. Daniel Couger, David L. Feinstein, Herbert E. Longenecker

December 1997 **ACM SIGMIS Database , Guidelines for undergraduate degree programs on Model curriculum and guidelines for undergraduate degree programs in information systems**, Volume 28 Issue 1

Full text available:  [pdf\(7.24 MB\)](#)

Additional Information: [full citation](#), [citations](#)

6 Specification and dialogue control of visual interaction through visual rewriting systems



P. Bottoni, M. F. Costabile, P. Mussio

November 1999 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 21 Issue 6

Full text available:  [pdf\(886.71 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Computers are increasingly being seen not only as computing tools but more so as communication tools, thus placing special emphasis on human-computer interaction (HCI). In this article, the focus is on visual HCI, where the messages exchanged between human and computer are images appearing on the computer screen, as usual in current popular user interfaces. We formalize interactive sessions of a human-computer dialogue as a structured set of legal visual sentences, i.e., as a visual language ...


Keywords: control automaton, dialogue control, visual languages

7 Draft Proposed: American National Standard—Graphical Kernel System







Technical Committee X3H3 - Computer Graphics

February 1984 **ACM SIGGRAPH Computer Graphics**, Volume 18 Issue SI



Full text available:  [pdf\(16.07 MB\)](#)

Additional Information: [full citation](#)

- 8 Composable ad hoc location-based services for heterogeneous mobile clients 
Todd D. Hodes, Randy H. Katz
October 1999 **Wireless Networks**, Volume 5 Issue 5
Full text available:  [pdf\(403.18 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 9 SDLIP + STARTS = SDARTS a protocol and toolkit for metasearching 
Noah Green, Panagiotis G. Ipeirotis, Luis Gravano
January 2001 **Proceedings of the first ACM/IEEE-CS joint conference on Digital libraries**
Full text available:  [pdf\(301.52 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)



In this paper we describe how we combined SDLIP and STARTS, two complementary protocols for searching over distributed document collections. The resulting protocol, which we call SDARTS, is simple yet expressible enough to enable building sophisticated metasearch engines. SDARTS can be viewed as an instantiation of SDLIP with metasearch-specific elements from STARTS. We also report on our experience building three SDARTS-compliant wrappers: for locally available plain-text document collect ...

- 10 A component- and message-based architectural style for GUI software 
Richard N. Taylor, Nenad Medvidovic, Kenneth M. Anderson, E. James Whitehead, Jason E. Robbins
April 1995 **Proceedings of the 17th international conference on Software engineering**
Full text available:  [pdf\(1.19 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 11 Analysis of navigation behaviour in web sites integrating multiple information systems 
Bettina Berendt, Myra Spiliopoulou
March 2000 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 9 Issue 1
Full text available:  [pdf\(281.14 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The analysis of web usage has mostly focused on sites composed of conventional static pages. However, huge amounts of information available in the web come from databases or other data collections and are presented to the users in the form of dynamically generated pages. The query interfaces of such sites allow the specification of many search criteria. Their generated results support navigation to pages of results combining cross-linked data from many sources. For the analysis of visitor naviga ...

Keywords: Conceptual hierarchies, Data mining, Query capabilities, Web databases, Web query interfaces, Web usage mining

- 12 Special issue on spatial database systems: An introduction to spatial database systems 
Ralf Hartmut Güting
October 1994 **The VLDB Journal — The International Journal on Very Large Data Bases**, Volume 3 Issue 4
Full text available:  [pdf\(2.50 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

We propose a definition of a spatial database system as a database system that offers spatial data types in its data model and query language, and supports spatial data types in its implementation, providing at least spatial indexing and spatial join methods. Spatial database systems offer the underlying database technology for geographic information systems and other applications. We survey data modeling, querying, data structures and

algorithms, and system architecture for such systems. The em ...

13 Guidance for the use of the Ada programming language in high integrity systems

B. A. Wichmann

July 1998 **ACM SIGAda Ada Letters**, Volume XVIII Issue 4


Full text available:  pdf(2.93 MB) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

This paper is the current result of a study by the ISO HRG Rapporteur group which is being circulated for comment. Many people have contributed to this, but those who have either attended two recent meetings of group or have made substantial e-mail comments are: Praful V Bhansali (Boeing, USA), Alan Burns (University of York, UK), Bernard Carre' (Praxis Critical Systems, UK), Dan Craigen (ORA, Canada), Nick Johnson MoD, UK), Stephen Michell (Canada), Gilles Motet (DGEI/INSA, France), George Roma ...

14 Visual query and analysis tool of the object-relational GIS framework

Zoran Stojanovic, Slobodanka Djordjevic-Kajan, Dragan Stojanovic

November 2000 **Proceedings of the ninth international conference on Information and knowledge management**

Full text available:  pdf(589.86 KB) Additional Information: [full citation](#), [references](#)

15 The role of software architecture in constraining adaptation in component-based middleware platforms

Gordon S. Blair, Lynne Blair, Valérie Issarny, Petr Tuma, Apostolos Zarras

April 2000 **IFIP/ACM International Conference on Distributed systems platforms**


Full text available:  pdf(262.73 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

Future middleware platforms will need to be more *configurable* in order to meet the demands of a wide variety of application domains. Furthermore, we believe that such platforms will also need to be *re-configurable*, for example to enable systems to adapt to changes in the underlying systems infrastructure. A number of technologies are emerging to support this level of configurability and re-configurability, most notably middleware platforms based on the concepts of open implement ...

16 PELLPACK: a problem-solving environment for PDE-based applications on multicomputer platforms

E. N. Houstis, J. R. Rice, S. Weerawarana, A. C. Catlin, P. Papachiou, K.-Y. Wang, M. Gaitatzes

March 1998 **ACM Transactions on Mathematical Software (TOMS)**, Volume 24 Issue 1

Full text available:  pdf(26.30 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


The article presents the software architecture and implementation of the problem-solving environment (PSE) PELLPACK for modeling physical objects described by partial differential equations (PDEs). The scope of this PSE is broad, as PELLPACK incorporates many PDE solving systems, and some of these, in turn, include several specific PDE solving methods. Its coverage for 1D, 2D, and 3D elliptic or parabolic problems is quite broad, and it handles some hyperbolic problems. Since a PSE should p ...

Keywords: PDE language, execution models, knowledge bases, libraries, parallel reuse methodologies, problem-solving environments, programming-in-the-large, software bus

17 The model-assisted global query system for multiple databases in distributed enterprises

Waiman Cheung, Cheng Hsu

October 1996 **ACM Transactions on Information Systems (TOIS)**, Volume 14 Issue 4


Full text available:  pdf(697.73 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Today's enterprises typically employ multiple information systems, which are independently developed, locally administered, and different in logical or physical designs. Therefore, a fundamental challenge in enterprise information management is the sharing of information for enterprise users across organizational boundaries; this requires a global query system capable of providing on-line intelligent assistance to users. Conventional technologies, such as schema-based query languages and ha ...

18 Towards a taxonomy of software connectors

Nikunj R. Mehta, Nenad Medvidovic, Sandeep Phadke

June 2000 **Proceedings of the 22nd international conference on Software engineering**

Full text available:  pdf(184.27 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Software systems of today are frequently composed from prefabricated, heterogeneous components that provide complex functionality and engage in complex interactions. Existing research on component-based development has mostly focused on component structure, interfaces, and functionality. Recently, software architecture has emerged as an area that also places significant importance on component interactions, embodied in the notion of software connectors. However, the current level of underst ...

Keywords: classification, software architecture, software connector, taxonomy

19 jRapture: A Capture/Replay tool for observation-based testing

John Steven, Pravir Chandra, Bob Fleck, Andy Podgurski

August 2000 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 2000 ACM SIGSOFT international symposium on Software testing and analysis**, Volume 25 Issue 5

Full text available:  pdf(403.58 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


We describe the design of jRapture: a tool for capturing and replaying Java program executions in the field. jRapture works with Java binaries (byte code) and any compliant implementation of the Java virtual machine. It employs a lightweight, transparent capture process that permits unobtrusive capture of a Java programs executions. jRapture captures interactions between a Java program and the system, including GUI, file, and console inputs, among other types, and on replay it presents eac ...

Keywords: Java, capture/replay, execution profiling, observation-based testing, software testing

20 Principled design of the modern Web architecture

Roy T. Fielding, Richard N. Taylor

June 2000 **Proceedings of the 22nd international conference on Software engineering**

Full text available:  pdf(217.34 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The World Wide Web has succeeded in large part because its software architecture has been designed to meet the needs of an Internet-scale distributed hypermedia system. The modern Web architecture emphasizes scalability of component interactions, generality of interfaces, independent deployment of components, and intermediary components to reduce interaction latency, enforce security, and encapsulate legacy systems. In this paper, we

introduce the Representational State Tra ...

Keywords: WWW, software architectural style, software architecture

Results 1 - 20 of 176

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)